

# MATERIAL SAFETY DATA SHEET

## Kolate 6030

**FedChem**  
A Subsidiary of Federal Process Corporation

FedChem, L. L. C.  
275 Keystone Drive  
Bethlehem, PA 18020

HMIS: HEALTH-1 FIRE-2 REACTIVITY-1

Date Issued: 04/28/2010 Supersedes: 08/04/2008

CHEMTREC (800) 424-9300

Emergency Phone Number (610) 837-1808

### I. IDENTIFICATION & PHYSICAL DATA

**Product Name:** Kolate 6030

**Product Class:** Oxoaluminum Acylate

**Manufacturer's I.D.:** Bethlehem

**VOC:** 413 g/l

**Solubility in Water:** Incompatible

**Evaporation Rate:** No Specific Information

**Appearance and Odor:** Clear straw colored viscous liquid (>1000 cps with characteristic solvent odor)

**Percent Volatile by Volume:** 62.2

**Boiling Range:** >450 F

**Vapor Density:** Heavier than air

**Specific Gravity:** .960

**Density:** 8.01 Pounds/Gallon

**Vapor Pressure at 20 C:** <.5 mm Hg

### II. HAZARDOUS INGREDIENTS

	CAS #	WT %	OSHA TWA ppm	OSHA STEL ppm	ACGIH TWA ppm	ACGIH STEL ppm
Oxoaluminum stearate/benzoate	**	<55	---	---	---	---
Mineral Oil	8042-47-5	<55	5 mg/M3 Oil mist in air	---	5 mg/M3 Oil mist in Air	10mg/M3

\*\*The specific chemical identity is being withheld as a trade secret.

--- Not Established.

All components of this product are listed on the TSCA registry or are otherwise compliant (exempt or regulated by another agency).

### III. FIRE & EXPLOSION DATA

**Flashpoint:** 200 F Pensky-Martens

**LEL:** < 1.10 est

#### Extinguishing Media:

Carbon dioxide, dry chemical, foam, or water spray. Water reacts and forms an insoluble aluminum soap.

#### Unusual Fire and Explosion Hazards:

Closed containers may rupture (due to buildup of pressure) when exposed to extreme heat.

#### Special Fire Fighting Procedures:

Wear self-contained breathing apparatus and complete personal protective equipment when entering confined areas where potential for exposure to vapors or products of combustion exists.

### IV. REACTIVITY DATA

**Stability:** Stable

**Hazardous Polymerization:** Will not occur

#### Conditions to Avoid:

Excessive heat.

#### Materials to Avoid:

Strong oxidizing agents. Exposure to moisture can result in a loss of product performance.

#### Hazardous Decomposition Products:

Fumes produced when heated to decomposition may include: carbon monoxide, carbon dioxide.

To the best of our knowledge, the information contained herein is accurate. However, no liability whatsoever is assumed for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

---

## V. HEALTH HAZARD DATA

### Effects of Overexposure:

#### Ingestion:

Practically nontoxic.

#### Inhalation:

No specific Information Available

Contains materials that have the potential to cause headaches, nausea, dizziness, and respiratory irritation if vapor is inhaled.

#### Skin Absorption:

No specific Information Available

Contains materials that may be practically nontoxic.

#### Skin Contact:

No specific Information Available

Contains materials that are essentially nonirritating, but contact may cause slight transient irritation.

#### Eye Contact:

No specific Information Available

Contains materials that are essentially nonirritating, but contact may cause slight transient irritation.

#### Chronic Effects of Overexposure:

No Specific Information Available

## Emergency and First Aid Procedures:

### Eye Contact:

Flush with plenty of water for at least 15 minutes and seek medical attention.

### Skin Contact:

Remove contaminated clothing and wash contact area with soap and water for 15 minutes.

### Ingestion:

If appreciable quantities are swallowed, seek medical attention.

### Inhalation:

In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped, administer artificial respiration and seek medical attention.

---

## VI. SPILL OR LEAK PROCEDURES

### Steps to Be Taken in Case Material Is Released or Spilled:

Ventilate area and remove ignition sources. Dike spill, absorb with inert material, and collect to disposal. Flush area with water. Prevent washings from entering waterways. Spills or releases to the environment may be reportable to the National Response Center, (800) 424-8802, and to state and/or local agencies.

### Waste Disposal Method:

Incinerate or use biological treatment in accordance with federal, state, and local regulations.

---

## VII. SPECIAL PROTECTION INFORMATION

### Respiratory Protection:

Wear a properly fitted NIOSH/MSHA approved respirator whenever exposure to vapor/mist is likely unless levels are below applicable limits.

### Ventilation:

Local Exhaust - Recommended when appropriate to control employee exposure.

Mechanical - Not recommended as the sole means of controlling employee exposure.

**Protective Gloves:** For operations where contact can occur, wear impervious gloves (Neoprene).

**Eye Protection:** Chemical splash goggles.

**Other Protective Equipment:** For operations where contact can occur, a safety shower and eye wash facility should be available.

---

## VIII. SPECIAL PRECAUTIONS

Store in a dry place. Keep container closed. Avoid breathing mist and fumes when heating during use.

**IX. STATE R-T-K COMPOSITION INFORMATION****(And Canada)**

<b>Component</b>	<b>CAS</b>	<b>WT %</b>	<b>DSL</b>	<b>NDSL</b>
Oxoaluminum stearate/benzoate	Confidential	<55	No	Yes
Mineral Oil	8042-47-5	<55	Yes	No

**X. SARA Title III Section 313 Information**

This product does not contain any SARA Title III Section 313 chemicals.

**XI. RCRA Information**

<b>Regulated Waste:</b> No	<b>Disposal Code:</b> None
----------------------------	----------------------------

**XII. CERCLA Information**

Under EPA-CERCLA, releases to air, land, or water which exceed the reportable quantity must be reported to the National Response Center (800-424-8802).

This product contains no materials with reportable quantities.

**XIII. California Proposition 65 Information**

To the best of our knowledge, this product does not contain any California Proposition designated chemicals.

**XIV. Transportation Information****D.O.T. Shipping Name:** Not Applicable**D.O.T. Hazard Class:** Not regulated**D.O.T. UN/NA Number:** None**XV. Other Information**

Composition information is typical and is not to be construed to be a specification.

**XVI. International Regulatory Lists**

<b>Country</b>	<b>List</b>	<b>Status</b>
Australia	AICS	?
Canada	DSL	?
China	IECSC	Y
Europe	EINECS/ELINCS	Y
Japan	ENCS	?
Korea	ECL	?
New Zealand		?
Phillipines	PICCS	?
Taiwan	TCS/TTSCSA	?

KEY: 'Y' = All components are on the country's list; 'N' = One or more ingredients are not on the Country's list; '?' = Not Determined